MI

| | Application No. | Applicant(s) |
|--|--|-----------------------------|
| Notice of Allowability | 10/735,239 | AJOOTIAN, JANICE K. |
| | Examiner | Art Unit |
| | Jerrold Johnson | 3728 |
| | Seriola Somison | 3720 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to Amendment 31 August 2006. | | |
| 2. The allowed claim(s) is/are <u>1-6,8 and 15-19</u> . | | |
| 3. | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal P | • • |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ☐ Interview Summary Paper No./Mail Dat | |
| 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date | 7. Examiner's Amendn | nent/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | 8. 🛛 Examiner's Stateme | nt of Reasons for Allowance |
| of Biological Material . | 9. 🔲 Other | • |
| | | |

The following is an examiner's statement of reasons for allowance:

As was so artfully set forth by Applicant's Representative in the reply dated 07

June 2006, the art rejections set forth for claim 1 and those claims which depend from it in the Office Action dated 10 January 2006 were indeed a house of cards built without a logical basis. Those rejections were removed as of the Office Action dated 11 August 2006.

Despite the perceived closeness of the prior art of record, neither the Examiner nor his supervisor were able to logically comprise a rejection for these claims based on the prior art of record, despite a considerable investment in time reviewing the prior art of record.

In the prior art of record there is no logical teaching for moving the detachable panel from those locations disclosed in the prior art (at either end of the package, either proximate to the closure or opposite it, see for instance 5,682,730, 2004/0252914, 5,851,071, and 6,536,951) to the position set forth in the present claims at an end of the package while the closure is disposed at a side edge. For these bags to operate as intended, one of ordinary skill in the art would not be motivated to move the closure/detachable panel relative to each other, as by doing so would inhibit the ability of the user (e.g. deli counter employee, etc) to open the bag and fill it while the bag is suspended from hooks as is intended. 5,682,730 provides the best evidence of this fact.

Application/Control Number: 10/735,239

Art Unit: 3728

Similarly, for the references (e.g. 6,712,510, 4,948,267, 5,129,734 and 5,067,822) that do have the closure on the side edge and the suspension hole adjacent a top edge, there is no sufficient teaching (i.e. one actually based on logic) to modify these references by providing a detachable panel within which the suspension hole is disposed.

Accordingly, absent the teachings necessary to modify the references so as to meet the claims, the claims are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerrold Johnson whose telephone number is 571-272-7141. The examiner can normally be reached on 9:30 to 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/735,239

Art Unit: 3728

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Aff

Supervisory Patent Examiner